

BAKER & BOTTS, L.L.P.
30 ROCKEFELLER PLAZA
NEW YORK, NEW YORK 10112-0228

212 705-5000
FACSIMILE 212 705-5020

Appln. Trans.
PATENT

55/525 U.S. PTO
09/383094
08/25/99

UTILITY PATENT
APPLICATION
TRANSMITTAL

(Only for new nonprovisional
applications under 37 CFR 1.53(b))

Attorney Docket No. A32159 - 070050.0945

First Named Inventor Nemo Semret

Express Mail Label No. EJ339575304US

Total Pages 3

August 25, 1999

BY EXPRESS MAIL

Assistant Commissioner for Patents

Box Patent Application

Washington, DC 20231

Sir:

Enclosed herewith for filing is a patent application of Nemo Semret et al. entitled "SYSTEM AND METHOD FOR ALLOCATING RESOURCES USING SPOT MARKET AND DERIVATIVE MARKET TECHNIQUES"

which includes:

☒ Specification 24 Total Pages

☒ Claims 5 Total Pages

☒ Abstract 1 Total Pages

☒ Drawing(s) 5 Total Sheets

 formal

☒ informal

☒ Appendix A 6 Total Pages

☒ Combined Declaration and Power of Attorney 3 Total Pages

☒ Newly executed (original or copy)

☐ Copy from a prior application

(for continuation/divisional only - must be filed to avoid surcharge for late filing)

If a continuing application, check appropriate box:

☐ Continuation ☐ Divisional ☐ Continuation-In-Part (CIP)
of prior application:

☐ Amend the specification by inserting, before the first line, the following sentence:

"This is a ☐ continuation ☐ divisional ☐ continuation-in-part
of copending application Serial No. filed ."

Attorney Docket No. A32159 - 070050.0945

☒ An Assignment of the invention to _.

☒ is attached. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.

☐ will follow.

☐ has been filed in the prior application

☒ Small Entity Statement(s)

☐ Small Entity Statement filed in prior application. Status still proper and desired.

☐ Information Disclosure Statement (IDS) PTO-1449

☐ Copies of IDS Citations.

☐ Preliminary Amendment

☒ Return Receipt Postcard

☐ Other _

☐ Cancel in this application original claims _ of the prior application before calculating the filing fee.

The filing fee has been calculated as shown below:

<u>FOR</u>	(Col. 1) <u>No. Filed</u>			(Col. 2) <u>No. Extra</u>			Small Entity <u>Rate</u>	<u>Fee</u>	OR	Other Than A Small Entity <u>Rate</u>	<u>Fee</u>
Basic Fee								\$380			
Total Claims	12	-20	=	0			x \$9 =	\$0		x \$18 =	\$0
Ind. Claims	2	-3	=	0			x \$39 =	\$0		x \$78 =	\$0
Multiple Dependent Claim							+ \$130 =	\$0		+\$260 =	\$0
							Total	<u>\$380</u>			—

* If the difference in Col. 1 is less than zero, enter "0" in Col. 2.

Fee Payment Being Made:

☒ Enclosed

☒ Basic filing fee \$380.00

☒ Recording Assignment \$40.00

[\$40.00; 37 CFR 1.21(h)]

Total Fees Enclosed \$420.00

☒ A check in the amount of \$420.00 to cover filing fee and assignment recordation fee is enclosed.

Attorney Docket No. A32159 - 070050.0945

Priority

- ☐ Priority of application Country __, Appln. No. __ filed __ is claimed under 35 U.S.C. 119.
- ☐ Certified Copy of Priority Document(s) Country __, Appln No. __, filed __.
☐ is/are attached ☐ will follow ☐ has been filed in the parent application S/N __.
- ☒ The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 CFR 1.16, 1.17, and 1.21(h) associated with this communication or credit any overpayment to Deposit Account No. 02-4377. Two copies of this sheet are enclosed.

BAKER & BOTTS, L.L.P.

By 
Paul D. Ackerman

PTO Registration No. 39,891

Enclosures

Applicant or Patentee: Nemo Semret et al.
Serial or Patent No.: Not Yet Assigned Filed or Issued: Herewith
For: SYSTEM AND METHOD FOR ALLOCATING RESOURCES USING SPOT MARKET AND DERIVATIVE MARKET TECHNIQUES

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(d)) - NONPROFIT ORGANIZATION**

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

NAME OF ORGANIZATION The Trustees of Columbia University in the City of New York

ADDRESS OF ORGANIZATION 116th Street & Broadway, New York, New York 10027

TYPE OF ORGANIZATION University

- ☒ UNIVERSITY OR OTHER INSTITUTION OF HIGHER EDUCATION
☐ TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE]26 USC 501(a) and 501(c)(3))
☐ NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA
(NAME OF STATE __)
(CITATION OF STATUTE __)
☐ WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c)(3)) IF LOCATED IN THE UNITED STATES OF AMERICA
☐ WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA IF LOCATED IN THE UNITED STATES OF AMERICA
(NAME OF STATE __)
(CITATION OF STATUTE __)

I hereby declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code with regard to the invention entitled SYSTEM AND METHOD FOR ALLOCATING RESOURCES USING SPOT MARKET AND DERIVATIVE MARKET TECHNIQUES inventor(s) Nemo Semret and Aurel Lazar described in

- ☒ the specification filed herewith
☐ Application Serial No. __, filed __.
☐ Patent No. __, issued __.

I hereby declare that the rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.

If the rights held by the nonprofit organization are not exclusive, each individual, concern or organization having rights

to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). *Note: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

NAME _____

ADDRESS _____

[] INDIVIDUAL [] SMALL BUSINESS CONCERN [] NONPROFIT ORGANIZATION

NAME _____

ADDRESS _____

[] INDIVIDUAL [] SMALL BUSINESS CONCERN [] NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING Jack M. GranowitzTITLE IN ORGANIZATION Executive Director

ADDRESS OF PERSON SIGNING Columbia Innovation Enterprise, Columbia University
500 West 120th Street, Engineering Terrace - 363
New York, New York 10027-6699

SIGNATURE DATE June 30, 1999

BAKER & BOTTS, L.L.P.
30 ROCKEFELLER PLAZA
NEW YORK, NEW YORK 10112

TO ALL WHOM IT MAY CONCERN:

Be it known that WE, NEMO SEMRET and AUREL LAZAR, citizens of Canada and the United States of America, respectively, whose post office addresses are 45 Tiemann Place, Apt 5C, New York, NY 10027; and 410 Riverside Drive, New York, NY 10027, respectively, have invented an improvement in

SYSTEM AND METHOD FOR ALLOCATING RESOURCES USING SPOT
MARKET AND DERIVATIVE MARKET TECHNIQUES

of which the following is a

SPECIFICATION

This application is related to copending Patent Cooperation Treaty application designating the United States, Serial No. PCT/US99/06384, entitled "System and Method for Performing a Progressive Second Price Auction Technique," which was filed on March 23, 1999.

5

FIELD OF THE INVENTION

The present invention relates generally to market based allocation of limited resources, and more particularly relates to systems and methods for allocating modem lines to subscribers based on spot market and derivative market models.

BACKGROUND OF THE INVENTION

A significant problem is created when demand for a finite resource outpaces the supply of the resource. When the demand for a resource or product exceeds the supply, market auctions can be created in order to properly allocate the limited resource or product to the requesting entities. For example, a finite commodity such as oil is only produced in limited quantities per month and the oil is auctioned and sold in international markets. If only one million barrels of oil are produced in a month, bidders can submit bids through the international market and typically the highest bidder will win its requested allocation of the oil and will pay the supplier of the oil the price which was bid.

The problem of allocating finite resources also occurs in the electronic world. The Internet allows parties to communicate and exchange data over vast distances. However, the rate of information flow can be affected by the number of users utilizing an Internet Service Provider ("ISP") and users are forced to endure long pauses in their network connections. If critical data needs to be transmitted and received almost instantaneously over a network, premium bandwidth of an ISP can be reserved for that user. While premium bandwidth can be provided by an ISP, the bandwidth is a limited resource and many users will desire all or part of the available premium bandwidth. A standard auction of the bandwidth would consist of the premium bandwidth being allocated to the highest bidder for which the bidder pays the price of the bid. However, this type of auction produces inefficiencies for larger numbers of bidders and where the bids made and availability of the premium bandwidth change over time. Other allocation

mechanisms require exchanging large messages to convey demand information and are inappropriate for communication networks due to the heavy signaling load they would impose. An improved auction and allocation technique is needed.

In order to achieve a system of improved allocation of resources, some economic principles can be applied. The example of allocating the discrete resource of communications lines for access to a data communications network will be used in the following discussion. A communication network's value such as the Internet can be characterized by what economists call externalities. The principles of externalities are that the value a user gets from the network depends upon the valuation and behavior of the other users. One recognized principle is that a communication network is more valuable to a user if more people are connected to the network. A second recognized principle is that as the utilization of the network by one user increases, the quality of service obtained by the other users decreases. Resources are shared by users who because of distance, population size, or individual selfishness cannot or will not coordinate their actions sufficiently to achieve the most desirable allocation of resources. This externality principles model indicates that a game theoretic approach in which other bidders actions are determinative of allocations and costs to a bidder could be used to improve the allocation of resources on a communication network.

The same type of problem presents itself with the allocation of discrete telephone lines which through dial-up servers provide access to the Internet to the vast majority of subscribers. Unlike communications bandwidth, which can be dynamically subdivided and apportioned, the number of telephone lines is a fixed quantity for a given

system and each line can only be allocated to one user for a given time duration of a call. The primary business model currently used to allocate these resources is first-come-first-served access with a flat-fee monthly pricing plan. Such a system, while simple to administer, is not a market efficient allocation method. Users are encouraged to access the system at off-peak times, and maintain a connection regardless of current need, in the event that access may be required at a later, peak time, when securing access is more difficult. This undesirable arbitraging wastes resources which could be used by other subscribers. Clearly, a market efficient method of allocating the telephone users among competing subscribers is required to prevent this undesirable result.

10 The allocation of limited resources in connection with a communications network can be performed in both an actual market embodiment, when users are bidding real dollars or other items of value, and a private system embodiment, where the bids are presented against internal budget allocations in order to obtain limited resources of the processing entity. For example, different university departments could bid on time used on a special university component with university dollars supplied by the university.

15 In emerging multi service networks (ATM, Next-Generation Internet), flat pricing as used in the current Internet is not a viable solution to achieving an efficient allocation of resources. Thus there is a need to develop a new approach to pricing of network resources. The requirements of an efficient pricing system include:

20 (1) sensitivity to the range of resource requirements (either through a sufficiently broad range of traffic classes which are priced differently or by allowing users to explicitly quantify resource requirements); (2) prices should be dynamically responsive to

unpredictable demand (market based system); and (3) the pricing architecture should constrain as little as possible the efficiency trade-offs. It would be desirable to achieve an auction technique which meets the above requirements and provides a more efficient allocation of a finite resource.

5

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a method whereby a finite resource is efficiently allocated in accordance with market conditions in a manner that prevents arbitraging opportunities.

10 It is a further object of the present invention to allocate a limited number of modem lines among competing subscribers based on spot and derivative market models, such that modem lines can be reserved in a market efficient manner.

In accordance with the present invention, a method for allocating a finite resource among subscribers in a system having a first stage and a second stage, includes the steps of queuing arriving subscribers bidding for an allocation of the resource in the
15 first stage and determining an available capacity in the second stage. Periodically, at least a portion of the arriving subscribers are admitted into the second stage based on respective bid amounts and second stage resource availability. The method includes the operations of determining a spot price of the resource based on at least one arrival subscriber not admitted and offering a reservation, having a reservation fee, for the
20 resource to admitted subscribers to secure a future allocation of the resource at a given

bid price. Subscribers accepting the reservation fee are admitted as reserved subscribers, those rejecting the reservation fee are admitted as non-reserved subscribers.

In the event that the current spot price exceeds a non-reserved subscriber's bid price, the method includes discontinuing the allocation of the resource to that

5 subscriber. In the event that the spot price exceeds a reserved subscriber's bid price, the method activates the reserved subscriber's reservation and continues the allocation of the resource to that subscriber for the extent of the reservation.

In the above method for allocating a resource among subscribers, the reservation fee can be calculated based on the bid price and duration of the reservation
10 requested by a subscriber. The reservation fee is generally inversely proportional to the bid price and directly proportional to the requested duration of the reservation. This provides a fair price that discourages arbitraging of the resource.

A network access computer server system for controlling a plurality of network access lines to provide subscriber access to a computer network is also provided.
15 The access computer system includes an access line interface for partitioning the plurality of network access lines as first stage lines and second stage lines. A processor is included which is operatively coupled to the access line interface. The processor performs the tasks required to implement the method described above, including: determining an available number of second stage access lines; queuing arriving subscribers bidding for
20 network access in the first stage access lines and periodically admitting at least a portion of the arriving subscribers into the second stage access lines based on respective bid amounts and second stage line availability; determining a spot price of the network access

based on at least one arrival subscriber not admitted; determining a reservation fee for secured access to the network for the admitted subscribers to secure future network access at a given bid price; determining whether a subscriber has accepted the reservation fee and controlling the access line interface to operatively couple that subscriber to the network via a second stage line as a reserved subscriber; determining whether a subscriber has rejected the reservation fee and controlling the access line interface to operatively couple that subscriber to the network via a second stage access line as an unreserved subscriber; controlling the access line interface to disconnect from the network non-reserved subscribers whose bid prices are below the spot price; and activating a reservation of reserved subscribers whose bid price is below the spot price, and controlling the access line interface to maintain network access for the reserved subscriber for a duration of the reservation. The server system also includes a computer data storage device, such as a computer hard drive or optical storage system, operatively coupled to the processor, for storing a database of subscriber account data.

15

BRIEF DESCRIPTION OF THE DRAWING

Further objects, features and advantages of the invention will become apparent from the following detailed description taken in conjunction with the accompanying figures showing illustrative embodiments of the invention, in which

Figure 1 is a block diagram illustrating the modem lines in a two-stage network access line allocation system, formed in accordance with the present invention;

20

Figure 2 is a flow chart illustrating a method of allocating computer network access lines to subscribers in accordance with the present invention;

Figure 3 is a flow chart illustrating a method of admitting subscribers into a system of a limited resource, in accordance with the present invention;

5 Figure 4 is a flow chart illustrating a second stage pricing method, in accordance with the present invention; and

Figure 5 is a block diagram of an exemplary computer communications network, in accordance with the present invention.

Throughout the figures, the same reference numerals and characters,
10 unless otherwise stated, are used to denote like features, elements, components or portions of the illustrated embodiments. Moreover, while the subject invention will now be described in detail with reference to the figures, it is done so in connection with the illustrative embodiments. It is intended that changes and modifications can be made to the described embodiments without departing from the true scope and spirit of the subject
15 invention as defined by the appended claims.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

A method of establishing pricing of capacity in a service system in accordance with the present invention proceeds along two operational stages. In a first stage, subscribers seeking access to the system provide an initial bid for such access.
20 This process preferably employs a second price auction technique, as described in copending Patent Cooperation Treaty application designating the United States, Serial

No. PCT/US99/06384, filed on March 23, 1999 and entitled "SYSTEM AND METHOD FOR PERFORMING A PROGRESSIVE SECOND PRICE AUCTION TECHNIQUE", which is hereby incorporated by reference. In the second price auction technique, the number of available resources (r) are distributed to the r highest bidders. Each of the r highest bidders then pay an amount equal to the $r+1^{\text{th}}$ bid, which represents the highest dropped bid price and is the current market price (spot price) of the resource. The first stage process is repeated periodically to admit new subscribers and refresh the market price. Once a subscriber is admitted, it is given an opportunity to reserve a block of the resource at the current market price by paying a reservation fee. This is referred to as a hold option. The price of the hold option, or reservation fee, is calculated based on the subscriber's bid price and the duration of the requested reservation. If a subscriber does not enter a hold option, that subscriber's allocation of the resource is unreserved. If the market price exceeds the unreserved subscriber's bid price, that subscriber is dropped from the system in favor of a newly admitted subscriber. However, if the subscriber secures a reservation, when the market price exceeds the subscriber's bid price, then the reservation is activated and the subscriber can maintain access for at least the duration of the reservation. Properly calculated, the hold option ensures an efficient pricing of the resource which allocates the resource based on need and reduces the opportunity for resource arbitraging. The present systems and methods are particularly well suited for allocating modem lines in a dial-up access communications network.

The present invention will be described in connection with a communications system wherein a finite number of communications lines must be

allocated to a number of subscribers which may, and in fact is expected to, exceed the available number of communications lines.

Figure 1 is a block diagram illustrating an exemplary system of modem lines in a two-stage resource allocation system formed in accordance with the present invention. The total resource, i.e., number of communication lines, is partitioned in a first stage having a number of lines 102 equal to B and a second stage having a number of lines 104 equal to C . Thus, the total resource in this exemplary embodiment is $B+C$ lines. Each of the lines is capable of supporting only a single subscriber and generally cannot be partitioned.

Figure 2 is a simplified flow chart illustrating a method of the present invention, which will be described in connection with the block diagram of Figure 1. Subscribers wishing to obtain an allocation of the resource enter a first stage admission auction 200. Referring to Figure 1, up to B subscribers can simultaneously participate in the first stage admission auction by entering a bid price for access to a communication line. Subscribers at the first stage auction are admitted based on unreserved capacity in the second stage and their bid price. Unreserved capacity is equal to the number of lines in the second stage (C) less the current number of reserved subscribers currently in the second stage (n). Thus, at any time, there are $C-n$ unreserved lines available to m subscribers in the first stage. Thus, when second stage capacity is exceeded, $m-(C-n)$ subscribers must be dropped from the first stage. In the case of the communications line example of Figure 1, unreserved subscriber's are physically disconnected from the system (step 202).

The above described process is further illustrated in the flow chart of Figure 3. Arrivals into the system are placed in a cue, with a maximum capacity of B , during a queuing interval T (step 300). Preferably, the queuing interval is on the order of one minute, with a degree of randomization around this basic time period. However,

5 depending on expected arrival rates and the need to update the spot price, this time period can be varied significantly without effecting the operating principle of the present method. The unreserved capacity in the second stage is determined based on the second stage capacity (C) and the number of reserved subscribers currently in the second stage (n) (step 305). If, at the end of queuing interval T , there is sufficient second stage

10 capacity to accommodate all arrivals (step 310), then all arrivals are admitted to the second stage and the spot price is set to a minimum price (floor value) (step 315). If there are more arrivals than second stage capacity, the m arrivals are combined with any unreserved subscribers in the second stage, and the subscriber's bids are sorted in descending order (step 320). Of these bids, the available second stage capacity is filled

15 with the $C-n$ highest bids from step 320 and the remaining subscribers are dropped (step 325). The spot price is then set to the highest dropped price (step 330). Preferably, the price of the resource to those subscribers who are admitted is not their particular bid price, but rather it is the price of the highest dropped bid. This is the current market price, or spot price, of the resource. The first stage bidding process is repeated at a

20 regular average interval, equal to the queuing interval, T . Therefore, the spot market price is refreshed at this interval.

Once the spot price is determined, either at step 315 or 330, the subscribers enter the second stage as unreserved (step 204, Figure 2) with the option to enter a reservation request (step 335). If the subscriber declines to enter a reservation, that subscriber is admitted as unreserved (step 340). If the subscriber wishes to enter a reservation, a reservation bid price and duration are entered by the subscriber and the system calculates a reservation fee based on these parameters, as well as current and expected future pricing and capacity considerations (step 345). Once the reservation fee is calculated, the subscriber is given the choice of accepting or rejecting the reservation (step 350). If the reservation is accepted by the subscriber, it is admitted as a reserved subscriber (step 355). Otherwise, the subscriber is entered as unreserved (step 340).

As mentioned above, to secure a reservation, the subscriber pays a reservation fee which is determined based on the current spot price and the duration of the reservation requested. In general, the reservation fee, or hold option price, is inversely proportional to the spot price and is directly proportional to the duration requested. Thus, a reservation request for a long duration entered with a low bid price would be higher than a short duration request when the bid price is higher. This pricing relationship, the calculation of which will be explained in further detail below, ensures that the price of the reservation is fair, discourages arbitraging and discourages resource misallocation.

After requesting a reservation, the subscriber is presented with a reservation fee and can accept or deny the reservation. If the subscriber accepts the reservation, the subscriber is changed from unreserved status to reserved status 206. Subscribers admitted in the second stage pay the current spot price unless this price

exceeds their bid price at the time of entry. When the current spot price exceeds the bid price at the time of entry, unreserved subscribers are dropped in favor of new subscribers entering at the current spot price and reserved subscribers begin using the reserved allocation at the reserved bid price. Reserved subscribers can use the resource until they

5 choose to terminate the use or the reserved allocation is consumed (reservation expires)

208. In the latter case, the subscriber becomes an unreserved subscriber and may request a new reservation based on the current spot price.

The second stage pricing mechanism for reserved subscribers is illustrated in further detail in Figure 4. As noted in connection with Figures 2 and 3, the spot price

10 is refreshed at an interval (τ), which may be of fixed or random duration, based on new arrivals into the system (step 400). Each reserved subscriber's bid price is then compared to the current spot price to determine the cost of the resource to the subscriber (step 405). If the spot price is less than the subscriber's bid price, that subscriber pays the current spot price for the resource (step 410). However, if the spot price exceeds the

15 subscriber's bid price, that subscriber's reservation is activated (step 415). The subscriber will continue to pay the bid price for as long as the spot price exceeds their bid price and/or the reservation duration has not been fully consumed (step 420). When the reservation duration is exceeded, the subscriber reverts to unreserved status and is given a new opportunity to bid for continued access (step 425).

20 Figure 5 is a block diagram illustrating an overview of the present system. In general, the system includes many subscriber computer systems 502 connected to communication lines 504, such as conventional telephone lines, coaxial cable and the

like. Unlike conventional systems, the present system includes a dial-in server 506 interposed between the subscriber computer systems 502 and an access server 508, which ultimately provides subscriber access to a computer network 510, such as the Internet.

The subscriber computer systems 502 can take the form of computer
5 terminals, personal computer systems, workstations, or other network configurable
computing devices. The subscriber computer system 502 requires an appropriate network
interface device, such as a modem and appropriate driver software. The computer system
502 should also have sufficient memory to load and run a small, memory resident
algorithm which operates in conjunction with the dial-in server 506 to effect the present
10 bidding and reservation methods. The allocation of modem lines is largely performed by
the dial in server 506.

The dial-in server 506 can take the form of a high performance personal
computer, or a computer workstation, such as the Ultra-SPARC2 workstation,
manufactured by Sun Microsystems, of Palo Alto, California. The dial-in server 506 has
15 a processor 514 which is coupled to and controls an access line interface 516 to establish
the first and second stage modem line allocations illustrated in Figure 1. The dial-in
server 506 also maintains an account database in a computer data storage device 512, for
maintaining records of each subscriber, such as access time, price, reservation fee, etc.
The computer data storage device 512 can take the form of any conventional mass storage
20 device, such as magnetic readable medium in the form of a computer disk drive or optical
media in the form of a compact disk based storage system. The subscriber data stored in
storage device 512 is stored and accessed in a conventional manner by processor 514.

This data is ultimately used to bill the subscriber on a regular basis based on actual access time and reservation costs.

The access server 508 can also take the form of a high performance personal computer, or computer workstation, such as the Ultra-SPARC2 workstation or a specialized dial-up router server, such as an AS 5300, manufactured by Cisco Systems, Incorporated. The access server 508 provides access to the network 510 for subscribers 502, admitted by the dial-in server 506, in a conventional manner. The network 510 can be a dedicated private network, such as a company or campus based intranet, or an open, public network, such as the Internet. While the access server 508 and dial-in server 506 are operationally discrete, the operations of these functional blocks can be performed by a single computer system.

Calculation of the Reservation Fee

To secure a reservation, a subscriber pays a reservation fee which is determined based on the current spot price and the duration of the reservation requested. In general, the reservation fee, or hold option price, is inversely proportional to the subscriber's bid price and is directly proportional to the duration requested. Thus, a reservation request for a long duration entered when the bid price was low would be higher than a short duration request when the bid price is higher. This pricing relationship ensures that the price of the reservation is fair and discourages arbitraging and resource misallocation.

The reservation fee gives the subscriber the right to purchase access to the system at a future time, for up to a specified duration, at the bid price. Thus, the reservation fee can be viewed as an option contract to continuously purchase a duration of the resource at a given strike price. Since the reservation is a continuous option, rather than a one-time exercisable option, it can be referred to as a new derivative instrument called a “hold option.”

As in economic models of derivative instruments, the reservation fee should be priced to remove undesirable arbitraging opportunities. In the case of a system for allocating modem lines, the pricing methods seek to discourage subscribers from connecting at periods of low usage and making reservations at a low price for an unreasonably long time period, regardless of need.

The capacity of a communications system can be modeled using known “heavy traffic” modeling techniques in order to estimate the capacity at a future time. To model the exemplary communications system, it is assumed that subscribers desiring access to the system arrive with a characteristic of a Poisson stream of rate λ , with independent identically distributed (i.i.d.) bid prices distributed according to a distribution F (density f). Call durations are exponentially distributed with mean $1/r$. The block diagram of Figure 1 illustrates such an exemplary queuing system. As set forth above, such a system can consist of two stages, with buffers of size B , corresponding to the B lines 102 and C , corresponding to the C lines 104, respectively.

In the first stage of processing, a second price auction is conducted where the winners enter the second stage, and the losers leave the system. Specifically, the first

stage has an exponentially distributed service time τ with mean $1/\mu$. At a given service completion instant, let m be the number of customers in the first stage at that time and n the number in the second stage. The m first stage customers are ranked according to their bid prices. The $(c - n)$ highest bids are accepted into the second stage, and the remaining
 5 $(m - c - n)$ are dropped. The bid price of the highest dropped bid defines the new *spot market price*, which is valid until the next batch. If no customers are dropped, i.e. $m \leq C - n$, then the spot market price is set to a minimum, or floor value.

The second stage is a server queue of size C with no waiting room, where each customer has an exponential service time (call duration) of mean $1/r$. Subscribers
 10 arrive according to a batch Poisson process, with rate μ , and batch sizes distributed according to $\{\beta_m\}_m^B = 0$. Let $\rho = \lambda/\mu$. For $0 \leq m < B$,

$$\begin{aligned} p_m &\triangleq P\{m \text{ arrivals in } r\} \\ &= \frac{p^m}{(1+p)^{m+1}}, \end{aligned} \quad (1)$$

and

$$\begin{aligned} B &= \sum_{m=B}^{\infty} \frac{\lambda^m \mu}{(\mu + \lambda)^{m+1}} \\ &= \left(\frac{\rho}{1 + \rho} \right). \end{aligned} \quad (2)$$

15 The steady-state distribution of the occupancy of the second stage queue can be shown to be of product form. However, for the purpose of pricing the

reservations, a probabilistic model of its transient behavior in the future, given the current price is desired.

A tractable approximation for the queue occupancy process N_t is determined by scaling the system following the well-known heavy traffic modeling approach which is, applied here to a system with batch arrivals.

$$\text{Let } \alpha \triangleq \frac{\mu \bar{m}}{r}, \bar{m} \triangleq \mathbb{E}M = \sum_{m=0}^B m\beta m, \text{ and } v^2 \triangleq E(M^2) = \sum_{m=0}^B m\beta m.$$

Consider a sequence of scaled systems, indexed by $\ell = 1, 2, \dots$, with capacity

$C^{(\ell)} = \ell\alpha + \gamma\sqrt{\ell}\alpha$, where γ is arbitrary; and batch arrival rate $\mu^{(\ell)} = \ell\mu$. Let

$$Z_t^{(\ell)} \triangleq \frac{N_t^{(\ell)} - \ell\alpha}{\sqrt{\ell}}, \quad (3)$$

which is the translated and scaled version of the queue occupancy of the ℓ -th system. The drift and diffusion coefficient respectively are

$$\begin{aligned} a^{(\ell)}(z) &\triangleq \lim_{\delta \rightarrow 0} \mathbb{E} \left[\frac{Z_{t+\delta}^{(\ell)} - Z_t^{(\ell)}}{\delta} \mid Z_t^{(\ell)} = z \right] \\ &= \begin{cases} -rz & \text{if } z < \gamma \\ -r(\gamma + \sqrt{\ell}\alpha) & \text{if } z \geq \gamma \end{cases} \end{aligned} \quad (4)$$

and

$$\begin{aligned} \sigma^{(\ell)2}(z) &\triangleq \lim_{\delta \rightarrow 0} \mathbb{E} \left[\frac{(Z_{t+\delta}^{(\ell)} - Z_t^{(\ell)})^2}{\delta} \mid Z_t^{(\ell)} = z \right] \\ &= \begin{cases} r(1 + v^2/\bar{m} + z/\sqrt{\ell}\alpha) & \text{if } z < \gamma \\ r(1 + \gamma/\sqrt{\ell}\alpha) & \text{if } z \geq \gamma \end{cases} \end{aligned} \quad (5)$$

The premise underlying the above expressions is that as $\ell \rightarrow \infty$, $Z_t^{(\ell)} \Rightarrow Z_t$, (where \Rightarrow denotes weak convergence, i.e., the probability distributions converge), where Z_t is the diffusion process which solves the stochastic differential equation,

$$dZ_t = a(Z_t)dt + \sigma(Z_t)dW_t, \quad (6)$$

5 where W_t is a Brownian motion process.

Note that for $\gamma < \infty$, the offered load is expressed as

$$\mu^{(\ell)} / (C^{(\ell)} r) = (1 + \gamma / \sqrt{\ell} \alpha)^{-1} \nearrow 1, \text{ which makes it a "heavy traffic" approximation.}$$

The drift coefficient $a(\cdot)$ and diffusion coefficient $\sigma^2(\cdot)$ are obtained by letting $\ell \rightarrow \infty$ in equations (4) and (5), respectively. In the prior art heavy traffic models, 10 $Z_t^{(\ell)} \Rightarrow Z_t$ holds if $a(\cdot)$ and $\sigma^2(\cdot)$ are continuous, which is clearly not the case here, since both have jumps at $z = \gamma$. However, a conditioning heuristic can be used to derive approximate steady-state blocking probabilities for the $G/GI/s/0$ (i.e. s servers, no waiting room) queue from the diffusion approximation for the corresponding $G/GI/\infty$ system. For exponential service times, it is known that a heuristic is also applicable to the diffusion 15 process itself. The present approach is to apply a heuristic to the diffusion process itself, conditioning on $Z_t \leq \gamma$.

At time t , the queue occupancy is $N_t = n$, and a batch of size m arrives.

The admission decision is made, and a new spot price results. In this section, we derive a model which is predictive of the future evolution of this price.

20 Of the m new customers, those with the $C - n$ highest bid prices will be admitted and the spot price will be the $(c - n + 1)$ -th highest bid price. The bid prices are i.i.d., with a distribution F , which is assumed to be smooth. The probability that the price

is x is the probability that in m draws, one draw will have a value equal x , and of the remaining $m - 1$, $C - n$ will be greater than x , and $((m - 1) - C - n)$ will be less than or equal to x . This can be expressed by the equation:

$$\begin{aligned} f_{n,m}(x) &\triangleq mf(x) \frac{(m-1)!}{(C-n)![(m-1)-(C-n)]!} [F(x)]^{m-C+n-1} [1-F(x)]^{C-n} \\ &= m \frac{m!}{(C-n)!(m-1-C+n)!} [F(x)]^{m-C+n-1} [1-F(x)]^{C-n} f(x). \end{aligned} \quad (7)$$

5 The distribution is

$$\begin{aligned} F_{n,m}(x) &\triangleq \int_0^x f_{n,m}(y) dy \\ &= \int_0^{F(x)} \frac{m!}{(C-n)!(m-1-C+n)!} u^{m-C+n-1} (1-u)^{C-n} du, \end{aligned} \quad (8)$$

where the last equality comes from substituting the previous expression, and making the change of variables $u = F(y)$, $du = f(y)dy$.

From a “first-order” approximation, the expected spot price given the

10 occupancy n and the size of the batch arrival m is:

$$\begin{aligned} \varphi_{n,m} &\triangleq \int_0^\infty [1 - F_{n,m}(x)] dx \\ &= \int_0^\infty \int_{F(x)}^1 g(u, n, m) du dx \\ &= \int_0^1 F_{(u)}^{-1} g(u, n, m) du, \end{aligned} \quad (9)$$

where

$$g(u, n, m) \triangleq \frac{m!}{(C-n)!(m-1-C+n)!} u^{m-C+n-1} (1-u)^{C-n}. \quad (10)$$

For the purpose of pricing a reservation beginning at time t , the future
15 evolution of the market price can be characterized in terms of what is known at or just before t , namely the occupancy N_t . Which can be defined by the process:

$$\varphi(N_t) = E[\varphi_{N_{t,m}}] = \sum_{m=0}^B \beta_m \varphi_{N_{t,m}}. \quad (11)$$

The price is approximated by a sequence of functions of the centered and scaled process $Z_t^{(\ell)}$,

$$P^{(1)}(z) \triangleq \varphi(z\sqrt{\alpha}1 + \alpha). \quad (12)$$

5 Then, Ito's rule along with equation (4) yields a stochastic differential equation for P :

$$dP_t^{(\ell)} = \left[\frac{dP^{(\ell)}}{dz} a^{(\ell)} + \frac{1}{2} \frac{d^2 P^{(\ell)}}{dz^2} \sigma^{(\ell)2} \right] dt + \frac{dP^{(\ell)}}{dz} \sigma^{(\ell)} dW_t. \quad (13)$$

Since

$$P^{(\ell)}(z) = \sum_{m=0}^B \beta_m \int_0^1 F^{-1}(u) g^{(\ell)}(u, \sqrt{\alpha} \ell z + \alpha \ell, m) du, \quad (14)$$

where $g^{(\ell)}$ is defined as g with $C^{(\ell)}$ instead of C , it follows that

$$10 \quad \frac{dP^{(\ell)}}{dz}(z) = \sum_{m=0}^B \beta_m \int_0^1 F^{(-1)}(u) \frac{\partial}{\partial z} g^{(\ell)}(u, \sqrt{\alpha} \ell z + \alpha \ell, m) du, \quad (15)$$

and

$$\frac{d^2 P^{(\ell)}}{dz^2}(z) = \sum_{m=0}^B \beta_m \int_0^1 F^{(-1)}(u) \frac{\partial^2}{\partial z^2} g^{(\ell)}(u, \sqrt{\alpha} \ell z + \alpha \ell, m) du, \quad (16)$$

Equation (13), along with equations (4), (5), (15) and (16), constitutes a diffusion model for the spot market price P_t , as $\ell \rightarrow \infty$. Equation (13) can be approximated

15 by $dP_t = 0$ when $z < \gamma$, and

$$dP_t = \sum_{m=4V^2}^B \beta_m \left[rC \left(-\frac{1}{m} P_t + \frac{m-1}{m} K_1^{(m)} + \frac{1}{2} K_2^{(m)} \right) dt + \sqrt{rC} \left(\frac{1}{m} P_t - K_1^{(m)} \right) dW_t \right], \quad (17)$$

when $z = \gamma$. V is a constant related to the accuracy to which we want to evaluate g , and can typically be taken to be 1. $\forall m$, the constants $K_1^{(m)}$, $K_2^{(m)}$, which depend only on the bid price distribution F .

The condition $z = \gamma$ corresponds to $N_t = C$, which indicates that the system is full. Thus we have a model where the spot price remains constant when the system is below capacity, and varies when the system is full, which properly corresponds to the auction mechanism (with the constant minimum price, when it is not full). Note that this model does not consider the transitions between the two regimes, so this model is meaningful only during periods when the system is almost always full.

Taking the current market price P_t as an initial condition, the solution of equation (17) provides a stochastic model of the future prices $\{P_\tau\}_{\tau \geq t}$. From that, the price of a reservation, arriving at time t , with a holding time T , and a bid price p can be determined. The value, or “fair price”, at time t of an option to buy a security for a “strike price” p at a specific future date $\tau \geq t$ is, taking the “risk-free interest rate” to be 0, is stated as:

$$\zeta_F \triangleq \mathbb{E}(P_{\tau-p})^+. \quad (18)$$

This is generally referred to as a European option, as opposed to an American option, which is the right to buy at any time between t and τ . In the present context, this concept must be extended by defining the reservation as a *hold option*, a new kind of derivative instrument, which is an option to buy repeatedly at every time instant from t to $t + T$.

Thus, the reservation fee is:

$$(t, T, p) \triangleq \int_t^{t+T} \zeta_r dr \quad (19)$$

If $K_1 = K_2 = 0$, ζ_τ is given explicitly by the Black-Scholes formula.

A more general form of equation (17), can be expressed as:

$$dP_\tau = (AP_\tau + K_3)dt + (DP_\tau + K_4)dW_t, \quad (20)$$

5 for $\tau \geq t$, with known initial condition P_t , the solution is

$$P_\tau = S_\tau \left[P_t + \int_t^\tau \frac{K_3 - DK_4}{S_u} du + \int_t^\tau \frac{K_4}{S_u} dW_u \right] \quad (21)$$

where

$$S_\tau \triangleq \exp \left[(A - D^2/2)(\tau - t) + \int_t^\tau D dW_u \right] \quad (22)$$

10 With the set of distributions $P_t \triangleq \{IP(P_r \leq x | P_\tau), \forall x: r > t\}$, ζ_τ can be evaluated for the case of $\tau > t$, and then the reservation fee ϕ can be determined.

The above described derivation describes a theoretical model of the reservation fee calculation. From these equations, a numerical approach can be implemented to calculate the appropriate reservation fee for a given spot price and duration. Appendix A is a computer listing of a program, written in a Java script programming language, which calculates the reservation fee using a numerical, Monte Carlo analysis approach.

15

The present systems and methods provide a solution for providing access to a system of finite resources in the face of excess demand. Subscribers are first admitted based on an initial bid price and are then given the option to secure continued access to the resource based on a fee-based reservation. The fee for the reservation is

20

determined in a manner which is fair to the reserving subscriber, as well as all other subscribers, in that the reservation fee is priced to provide access at a cost which prevents arbitraging opportunities.

In a communications system, a dial-in server is interposed between
5 subscriber terminals and an access server to effect the allocation of network access lines to subscribers desiring network access. The dial-in server periodically conducts a first stage, second price auction to selectively admit new subscribers into the system. Upon entry, the subscribers are provided with an option to secure a reservation for an allocation of access time. Based on the current spot price of the network access and the requested
10 access duration, the dial-in server calculates a reservation fee for consideration by the subscriber computer. The subscriber can accept or reject the reservation and get admitted into the network by the dial-in server as either an unreserved or reserved subscriber, respectively. The dial-in server can disconnect unreserved subscriber computer systems from the network in the event that the spot price exceeds the bid price of the unreserved
15 subscriber.

Although the present invention has been described in connection with specific exemplary embodiments, it should be understood that various changes, substitutions and alterations can be made to the disclosed embodiments without departing from the spirit and scope of the invention as set forth in the appended claims.

WE CLAIM:

- 1 1. A method for allocating a resource among subscribers in a system
- 2 having a first stage and a second stage, the method comprising the steps of:
- 3 determining an available capacity in the second stage;
- 4 queuing arriving subscribers bidding for an allocation of the
- 5 resource in the first stage;
- 6 periodically admitting at least a portion of the arriving subscribers
- 7 into the second stage based on respective bid amounts and second stage resource
- 8 availability;
- 9 determining a spot price of the resource based on at least one
- 10 arrival subscriber not admitted;
- 11 offering admitted subscribers a reservation, having a reservation
- 12 fee, to secure a future allocation of the resource at a given bid price, subscribers accepting
- 13 the reservation fee being admitted as reserved subscribers, those rejecting the reservation
- 14 fee being admitted as non-reserved subscribers;
- 15 displacing non-reserved subscribers whose bid prices are below the
- 16 spot price; and
- 17 activating a reservation of a reserved subscriber whose bid price is
- 18 below the spot price.

1 2. The method for allocating a resource among subscribers as defined
2 by Claim 1, wherein the reservation fee is calculated based on the bid price and a
3 requested duration of the reservation.

1 3. The method for allocating a resource among subscribers as defined
2 by Claim 2, wherein the reservation fee is inversely proportional to the bid price and
3 directly proportional to the requested duration of the reservation.

1 4. The method for allocating a resource among subscribers as defined
2 by Claim 2, wherein after a reservation is activated, the subscriber is displaced upon
3 expiration of the duration of the reservation.

1 5. The method for allocating a resource among subscribers as defined
2 by Claim 1, wherein the spot price of the resource is the highest bid price of the at least
3 one arrival subscriber not admitted.

1 6. The method for allocating a resource among subscribers as defined
2 by Claim 1, wherein the availability of the resource in the second stage is defined as the
3 total quantity of the resource in the second stage less a reserved quantity of the resource
4 in the second stage.

1 7. The method for allocating a resource among subscribers as defined
2 by Claim 1, wherein the resource is communication lines in a computer network access
3 system and where the first and second stage each contain a discrete number of
4 communications lines.

1 8. A network computer server system for controlling a plurality of
2 network access lines to provide subscriber access to a computer network, the server
3 system comprising:
4 an access line interface for partitioning the plurality of network
5 access lines as first stage lines and second stage lines;
6 a processor operatively coupled to the access line interface, the
7 processor:
8 determining an available number of second stage lines;
9 queuing arriving subscribers bidding for network access in
10 the first stage lines and periodically admitting at least a portion of the arriving subscribers
11 into the second stage lines based on respective bid amounts and the availability of second
12 stage lines;
13 determining a spot price of the resource based on at least
14 one arrival subscriber not admitted;
15 determining a reservation fee for secured access to the
16 network for the admitted subscribers to secure future network access at a given bid price;

17 determining whether a subscriber has accepted the
 18 reservation fee and controlling the access line interface to operatively couple that
 19 subscriber to the network via a second stage line as a reserved subscriber;
 20 determining whether a subscriber has rejected the
 21 reservation fee and controlling the access line interface to operatively coupled that
 22 subscriber to the network via a second stage line as an unreserved subscriber;
 23 controlling the access line interface to disconnect from the
 24 network non-reserved subscribers whose bid prices are below the spot price; and
 25 activating a reservation of reserved subscribers whose bid
 26 price is below the spot price, and controlling the access line interface to maintain network
 27 access for the reserved subscriber for a duration of the reservation; and
 28 a memory device operatively coupled to the processor, the memory
 29 device for storing a database of subscriber account data.

1 9. The network computer server system as defined by claim 8,
 2 wherein the processor calculates the reservation fee on the bid amount and a requested
 3 duration of the reservation.

1 10. The network computer server system as defined by claim 8,
 2 wherein the reservation fee is inversely proportional to the bid price and directly
 3 proportional to the requested duration of the reservation.

1 11. The network computer server system as defined by claim 8,
2 wherein processor sets the spot price to the highest bid price of the at least one arrival
3 subscriber not admitted.

1 12. The network computer server system as defined by claim 8,
2 wherein the processor calculates the available number of lines in the second stage as a
3 total number of lines in the second stage less the number of reserved subscribers admitted
4 in the second stage.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

ABSTRACT OF THE DISCLOSURE

A method for controlling access to a system of finite resources with excess demand employs a two stage admission process. Subscribers are first admitted based on an initial bid price and resource availability. The market price is determined by the highest bid price among the rejected arrivals in the current batch. Admitted subscribers

5 are then given the option to secure continued access to the resource by accepting a fee-based reservation. The fee for the reservation is determined in a manner which is fair to the reserving subscriber, as well as all other subscribers, in that the reservation fee is priced to provide access at a cost which prevents arbitraging opportunities. If the current market price exceeds a non-reserved subscriber's bid price, that non-reserved subscriber

10 is displaced. If the current market price exceeds a reserved subscriber's bid price, that reserved subscriber's reservation is activated and access to the resource continues. In the case of a communications system having a finite number of access lines, the reservation fee is based on the bid price from the subscriber and the duration of the requested reservation.

FIG. 2

STAGE I

STAGE II




FIG. 3




FIG. 4





FIG. 5



**COMBINED DECLARATION
AND POWER OF ATTORNEY**

(Original, Design, National Stage of PCT, Divisional, Continuation or C-I-P Application)

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**SYSTEM AND METHOD FOR ALLOCATING RESOURCES USING SPOT MARKET AND DERIVATIVE
MARKET TECHNIQUES**

This declaration is of the following type:

- ☒ original
☐ design
☐ national stage of PCT.
☐ divisional
☐ continuation
☐ continuation-in-part (C-I-P)

The specification of which: *(complete (a), (b), or (c))*

(a) ☒ is attached hereto.

(b) ☐ was filed on as Application Serial No. and was amended on *(if applicable)*.

(c) ☐ was described and claimed in PCT International Application No. filed on and was amended on *(if applicable)*.

Acknowledgement of Review of Papers and Duty of Candor

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of the subject matter claimed in this application in accordance with Title 37, Code of Federal Regulations § 1.56.

☐ In compliance with this duty there is attached an information disclosure statement. 37 CFR 1.98.

Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International Application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International Application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application on which priority is claimed

(complete (d) or (e))

(d) ☒ no such applications have been filed.

(e) ☐ such applications have been filed as follows:

PRIOR FOREIGN/PCT APPLICATION(S) FILED WITHIN 12 MONTHS (6 MONTHS FOR DESIGN) PRIOR TO SAID APPLICATION			
COUNTRY	APPLICATION NO.	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)
			PRIORITY CLAIMED UNDER 35 USC 119 [] YES NO []
			[] YES NO []
			[] YES NO []

ALL FOREIGN APPLICATION[S], IF ANY, FILED MORE THAN 12 MONTHS (6 MONTHS FOR DESIGN) PRIOR TO SAID APPLICATION			
			[] YES NO []
			[] YES NO []
			[] YES NO []

Claim for Benefit of Prior U.S. Provisional Application(s)

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

Provisional Application Number	Filing Date

Claim for Benefit of Earlier U.S./PCT Application(s) under 35 U.S.C. 120

(complete this part only if this is a divisional, continuation or C-I-P application)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior application(s) in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
--------------------------	---------------	---

(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
--------------------------	---------------	---



Power of Attorney

As a named inventor, I hereby appoint Dana M. Raymond, Reg. No. 18,540; Frederick C. Carver, Reg. No. 17,021; Francis J. Hone, Reg. No. 18,662; Joseph D. Garon, Reg. No. 20,420; Arthur S. Tenser, Reg. No. 18,839; Ronald B. Hildreth, Reg. No. 19,498; Thomas R. Nesbitt, Jr., Reg. No. 22,075; Robert Neuner, Reg. No. 24,316; Richard G. Berkley, Reg. No. 25,465; Richard S. Clark, Reg. No. 26,154; Bradley B. Geist, Reg. No. 27,551; James J. Maune, Reg. No. 26,946; John D. Murnane, Reg. No. 29,836; Henry Tang, Reg. No. 29,705; Robert C. Scheinfeld, Reg. No. 31,300; John A. Fogarty, Jr., Reg. No. 22,348; Louis S. Sorell, Reg. No. 32,439; Rochelle K. Seide Reg. No. 32,300; Gary M. Butter, Reg. No. 33,841; Marta E. Delsignore, Reg. No. 32,689; and Lisa B. Kole, Reg. No. 35,225 of the firm of BAKER & BOTTS, L.L.P., with offices at 30 Rockefeller Plaza, New York, New York 10112, as attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith

SEND CORRESPONDENCE TO: BAKER & BOTTS, L.L.P. 30 ROCKEFELLER PLAZA, NEW YORK, N.Y. 10112 CUSTOMER NUMBER: 21003	DIRECT TELEPHONE CALLS TO: BAKER & BOTTS, L.L.P. (212) 705-5000
--	---

I hereby declare that all statements made herein of my own knowledge are true and that all statements made

on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST INVENTOR	LAST NAME Semret	FIRST NAME Nemo	MIDDLE NAME	
RESIDENCE & CITIZENSHIP	CITY New York	STATE or FOREIGN COUNTRY New York	COUNTRY OF CITIZENSHIP Canada	
POST OFFICE ADDRESS	POST OFFICE ADDRESS 45 Tiemann Place, Apt. 5C	CITY New York	STATE or COUNTRY New York	ZIP CODE 10027
DATE 2/16/99	SIGNATURE OF INVENTOR 			
FULL NAME OF SECOND JOINT INVENTOR, IF ANY	LAST NAME Lazar	FIRST NAME Aurel	MIDDLE NAME	
RESIDENCE & CITIZENSHIP	CITY New York	STATE or FOREIGN COUNTRY New York	COUNTRY OF CITIZENSHIP United States of America	
POST OFFICE ADDRESS	POST OFFICE ADDRESS 410 Riverside Drive	CITY New York	STATE or COUNTRY New York	ZIP CODE 10027
DATE 7/16/99	SIGNATURE OF INVENTOR 			
FULL NAME OF THIRD JOINT INVENTOR, IF ANY	LAST NAME	FIRST NAME	MIDDLE NAME	
RESIDENCE & CITIZENSHIP	CITY	STATE or FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
DATE	SIGNATURE OF INVENTOR			
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY	LAST NAME	FIRST NAME	MIDDLE NAME	
RESIDENCE & CITIZENSHIP	CITY	STATE or FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
DATE	SIGNATURE OF INVENTOR			

Check proper box(es) for any added page(s) forming a part of this declaration

- ☐ Signature for ninth and subsequent joint inventors. Number of pages added _____.
- ☐ Signature by administrator(trix), executor(trix) or legal representative for deceased or incapacitated inventor.
Number of pages added _____.
- ☐ Signature for inventor who refuses to sign, or cannot be reached, by person authorized under 37 CFR 1.47.
Number of pages added _____.